e

Notice of Allowability	Application No.	Applicant(s)
	10/615,761	MONTALBO ET AL.
	Examiner	Art Unit
	John P. Leubecker	3739
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>December 1,2005</u> .		
2. The allowed claim(s) is/are <u>1,3-13,15-22 and 25</u> .		
 Acknowledgment is made of a claim for foreign priority una)	been received. been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	••	
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in t		
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendr	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9. Other	

Application/Control Number: 10/615,761 Page 2

Art Unit: 3739

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Matthew Gaffney on February 9, 2006.

The application has been amended as follows:

IN THE CLAIMS

In claim 9, line 1, replace "2" with -1--.

In claim 21, line 1, replace "14 with -13--.

Replace claim 25 with the following:

25. A capsule endoscope (CE) having a field of view that is dynamically adjustable, comprising:

an illuminator configured to produce illumination;

a device that is adapted to transmit the illumination onto a lining of a gastrointestinal tract;

a sensor that is arranged to sense a reflected signal from the lining in response to the illumination and to provide at least one signal regarding the reflected signal; and a control block configured to dynamically adjust the field of view,

Application/Control Number: 10/615,761

Art Unit: 3739

wherein the sensor is curved to a contour and includes:

a support having sufficient flexibility such that it is formed to the contour; and a substrate including the sensor, wherein the substrate is sufficiently thin so that it

Page 3

is shaped to the contour.

Cancel claim 26.

2. The following is an examiner's statement of reasons for allowance: Claims 1 and 13 were amended in the response filed December 1, 2005 to include the subject matter of claims 2 and 14, respectively. The subject matter of previous claims 2 and 14 was indicated as allowable because the prior art of record did not explicitly teach or fairly suggest the claimed combination of elements. New claim 25 appearing in the above mentioned response was indicated to Applicant's representative during an interview that it contained subject matter that was not supported by the specification, such subject matter relating to the act of dynamically adjusting the field of view of the sensor and the specific way of doing such (note last three lines of the claim). It was explained that the specification only supporting adjusting the field of view of the illuminator. Claim 25 has been amended above to take out the offensive subject matter and add limitations substantially similar to claims 2 and 14. Therefore, claim 25, as amended above is allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 3739

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John P. Leubecker whose telephone number is (571) 272-4769. The examiner can normally be reached on Monday through Friday, 6:00 AM to 2:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C.M. Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner

jpl